

Page 1 of 1

All amounts are calculated in domestic currency.

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID \ Vendor Name		VU-TW/M001	TW Metals								
PO31962	1		M6061T6T0.3125W.0 f 58		4/14/2016	4/12/2016	84.0000		0.0000	0	\$0.00
USD	No		ALUM TUBE .3125 f x .058w m134548		80.0000	PLOU01			0.0000	0	
	2		M6061T6T0.625W.12 f 5		4/14/2016	4/12/2016	48.0000		0.0000	0	\$0.00
	No		6061-T6 RD Tube 0.625 X.125W m134548		48.0000	PLOU01			0.0000	0	
	3		M6061T6T1.000W06 f 5		4/14/2016	4/12/2016	24.0000		0.0000	0	\$0.00
	No		6061T6 RD TUBE 1.00 x .065w m134548		24.0000	PLOU01			0.0000	0	
	4		71401-45		4/14/2016	4/12/2016	1.0000		0.0000	0	\$0.00
	No		PROCUREMENT QUALITY CLAUSES m134548		1.0000	PLOU01			0.0000	0	
Total Received Quantity:											157.0000
Total Qty to Inspect (PO U/M):											0.0000
Total Reject Quantity:											0.0000
Total Receipt Value:											\$0.00
Total Balance Due Quantity:											0.0000



O'Neal High-Performance
Metals Group



PACKING SLIP

ORDER NO.: 60601757

FROM: CRAN

PAGE 1

CUST NUMBER: 1203820 NET WGT: 21.068 REQ.DATE: 04/14/16 CONFIRMED
SOLD TO: SHIP TO:
DART AEROSPACE LTD DART AEROSPACE LTD
1270 ABERDEEN ST 1270 ABERDEEN ST
HAWKESBURY ON HAWKESBURY ON
CANADA CN K6A 1K7 ONTARIO CANADA CN K6A 1K7

SALESPERSON: DONNA SMALLEY SHIP BY: 04/08/16
TERMS: NET 30 DAYS VIA: COMMON CARRIER
F.O.B.: SHIPPING POINT FREIGHT: PREPAID
CUST ORD NO.: PO31962 RELEASE NO.:
RECEIVING PHONE:

LINE ITEM DESCRIPTION WIDTH LENGTH
0001 41723 D6061-T6 5/16 OD X .058 WA 12 FT ML

CLN#	ORD QTY	INVOICE QTY	SHIPPED QTY	WT	PCS
	84.000 FT	84.000 FT	84.000 FT	4.586	7

PART#: M6061T6T0.3125W.058

** 1 TEST REPORTS REQUIRED **

** 1 CERTS REQUIRED **

ECCN: EAR99 Export License: NLR Expiration Date: 0/00/00
PO:49324038 HT:3270438 PC: 7 CUSTOMER QTY: 84.000 UOM FT
MLT:UNITED STATES MFG:UNITED STATES SLB/CL:281022

0002 42588 D6061-T6 5/8 OD X .125 WA 12 FT ML

CLN#	ORD QTY	INVOICE QTY	SHIPPED QTY	WT	PCS
	48.000 FT	48.000 FT	48.000 FT	11.082	4

PART#: M6061T6T0.625W.125

** 1 TEST REPORTS REQUIRED **

** 1 CERTS REQUIRED **

ECCN: EAR99 Export License: NLR Expiration Date: 0/00/00
PO:49330211 HT:F001858850001 PC: 4 CUSTOMER QTY: 48.000 UOM FT
MLT:UNITED STATES MFG:UNITED STATES SLB/CL:218040

0003 43284 D6061-T6 1 OD X .065 WA 12 FT ML

CLN#	ORD QTY	INVOICE QTY	SHIPPED QTY	WT	PCS
	24.000 FT	24.000 FT	24.000 FT	5.400	2

PART#: M6061T6T1.000W065

** 1 TEST REPORTS REQUIRED **

** 1 CERTS REQUIRED **

ECCN: EAR99 Export License: NLR Expiration Date: 0/00/00

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE
OF THESE PRODUCTS ARE SET FORTH ON THE
REVERSE SIDE FOR YOUR CAREFUL REVIEW.

5016-04-11



O'Neal High-Performance
Metals Group



PACKING SLIP

ORDER NO.: 60601757

FROM: CRAN

PAGE 2

CUST NUMBER: 1203820 NET WGT:

21.068 REQ.DATE: 04/14/16 CONFIRMED

SOLD TO:

SHIP TO:

DART AEROSPACE LTD

DART AEROSPACE LTD

1270 ABERDEEN ST

1270 ABERDEEN ST

HAWKESBURY ON

HAWKESBURY ON

CANADA

CN K6A 1K7

ONTARIO CANADA

CN K6A 1K7

SALESPERSON: DONNA SMALLEY

SHIP BY: 04/08/16

TERMS: NET 30 DAYS

VIA: COMMON CARRIER

F.O.B.: SHIPPING POINT

FREIGHT: PREPAID

CUST ORD NO.: PO31962

RELEASE NO.:

RECEIVING PHONE:

LINE ITEM DESCRIPTION

WIDTH

LENGTH

PO:49333248 HT:F001924750002 PC: 2

CUSTOMER QTY:

24.000 UOM FT

MLT:UNITED STATES MFG:UNITED STATES

SLB/CL:218377

BROKERS KUEHNE AND NAGEL LTD

-----		PACK INFO			-----	
AREA	TYPE OF PKG	PKGS	GRS WEIGHT	WIDTH	LENGTH	HGHT
B	CARTON	1.000	25.000		12.6000	

1.000 25.000

BY: TW

RT 000-

UNLOAD TYPE: NONE SPECIFIED

DATE SHIPPED _____

DATE FILLED _____

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE
OF THESE PRODUCTS ARE SET FORTH ON THE
REVERSE SIDE FOR YOUR CAREFUL REVIEW.



O'Neal High-Performance
Metals Group



PACKING SLIP

ORDER NO.: 60601757

FROM: CRAN

PAGE 3

CUST NUMBER: 1203820 NET WGT:

21.068 REQ.DATE: 04/14/16 CONFIRMED

SOLD TO:

SHIP TO:

DART AEROSPACE LTD

DART AEROSPACE LTD

1270 ABERDEEN ST

1270 ABERDEEN ST

HAWKESBURY ON

HAWKESBURY ON

CANADA

CN K6A 1K7

ONTARIO CANADA

CN K6A 1K7

SALESPERSON:

DONNA SMALLEY

SHIP BY:

04/08/16

TERMS:

NET 30 DAYS

27 ENGLEHARD DRIVE

F.O.B.:

SHIPPING POINT

MONROE TWP

NJ 08831

CUST ORD NO.:

PO31962

VIA:

COMMON CARRIER

FREIGHT:

PREPAID

RELEASE NO.:

RECEIVING PHONE:

"TW Metals MSDS data is available on our web site at www.twmetals.com. MSDS data can be found under the Technical Resources Tab, Product Statistics & Data and the TW Metals MSDS's heading. If you do not have web site access you may telephone 610-458-1300 and we will mail or fax a copy of our current MSDS data to your location."

"CERTIFICATE OF CONFORMANCE"

"TW Metals certifies that the material supplied on this purchase order and contained in the heat/lot number referenced above has been manufactured, inspected, and tested in accordance with the material specification. These records are on file at TW Metals. Packaging material for shipments to Europe and China consists of manufactured wood products and complies with the European emergency measures for coniferous non-manufactured wood packing material"

Authorized Test Report Clerk

Date: 4/07/16

These commodities have been exported from the United States in accordance with the U.S. export control laws, export administrations regulations. Diversion contrary to U.S. law prohibited.

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE
OF THESE PRODUCTS ARE SET FORTH ON THE
REVERSE SIDE FOR YOUR CAREFUL REVIEW.



A COMPANY OF MUELLER INDUSTRIES

PRECISION TUBE CO.
287 WISSAHICKON AVE.
NORTH WALES PA 19454

Control No: 168215**

CERTIFIED TEST REPORT

CUSTOMER PURCHASE ORDER NO. 49324038 LINE 001		CUST. ORD. NO. 281022		PRECISION TUBE P/N 24A031250580005					
SOLD: TW METALS TO 27 ENGLEHARD DRIVE MONROE TWP, NJ 08831 UNITED STATES			SHIP: TW METALS TO 27 ENGLEHARD DRIVE MONROE TWP, NJ 08831 UNITED STATES						
QUANTITY ORD.	DESCRIPTION			QTY. SHIPPED	DATE SHIPPED				
3000 FT	METAL - 6061 ALUM TEMPER - T6 SPEC - AMS 4082P ASTM-B-210-12 (AMS-WW-T-700/6B) LENGTH - 12 FT LGTH TOL +.1250 IN -.0000 IN SHAPE - ROUND FINISH - STRAIGHT EXACT LENGTHS OD .3125 +.0030 -.0030 ID WALL .0580 +.0040 -.0040			3300 FT DAS 14 16/04/16 9-39	01/07/15				
MECHANICAL PROPERTIES									
SAMPLE #	TENSILE STRENGTH (P.S.I.)	YIELD STRENGTH (P.S.I.)	ELONGATION IN 2 INCHES (%)	ROCKWELL HARDNESS	AVERAGE GRAIN SIZE (MM.)				
1	46,473	41,218	15						
DESTRUCTIVE TESTS									
Comments: FAR BAA COMPLIES, DFARS BAA COMPLIES, FAR TAA COMPLIES									
NON-DESTRUCTIVE TESTS									
EDDY CURRENT: PASS									
CHEMICAL COMPOSITION									
ALLOY: 6061		HEAT:		TRACEABILITY #: 32704387					
				RAW MATL VENDOR: PT45444 - Kaiser Aluminum					
	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Al
Min	0.40		0.15		0.80	0.04			Rem.
Max	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	
OTHER ELEMENTS: 0.05 MAX EACH / 0.15 MAX TOTAL									

We hereby certify that the material has been manufactured and tested in accordance with the requirements of the applicable specifications and descriptions set forth on Precision Tube's sales acknowledgement. During the manufacturing, testing and inspection, the product did not come into direct contact with mercury or any of its compounds, nor with any mercury containing device employing a single boundry containment. Test results indicate that the material is compliant with the current revision of the RoHS Directive (2002/95/EU).

Melted and Manufactured in USA
QMS Registered to ISO 9001: 2008

By: Art Onaitis
Art Onaitis
QA Manager

01/07/15

Page: 1 of 1

KAISER ALUMINUM FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
2425 STEVENS DRIVE
RICHLAND, WA 99352

CUSTOMER PO NUMBER: PT45444		CUSTOMER PART NUMBER: SPIRIT-371850		PRODUCT DESCRIPTION: 5.400 LB/PC .500 LB/-0 LB 1.312 OD X .085 WALL ESRT	
KAISER ORDER NUMBER: 317897	LINE ITEM: 001	SHIP DATE: 11/25/2014	KAISER LOT NUMBER: 50751-284	ALLOY: 6061	TEMPER: O
WEIGHT SHIPPED: 10618.000 LB	QUANTITY: 1933.000 PCS	B/L NUMBER: 004598	DIAM/DAF/THKNS: 	WIDTH: 	LENGTH: 13.984 FT
SHIP TO: PRECISION TUBE CO 287 WISSAHICKON AVENUE N. WALES, PA 19454 USA			SOLD TO: MUELLER INDUSTRIES, INC PRECISION TUBE 8285 TOURNAMENT DRIVE STE. 150 MEMPHIS, TN 38125 USA		



Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	%Elong in 2	HARDNESS	CONDUCT.	BEND
50751-284	0001	0001	19.5	8.7	19.8	N/A	N/A	N/A
50751-284	0001	0002	19.6	9.2	19.6	N/A	N/A	N/A
50751-284	0001	0003	19.3	8.7	20.3	N/A	N/A	N/A
50751-284	0001	0004	19.4	9.0	18.8	N/A	N/A	N/A
50751-284	0001	0005	19.7	9.1	19.3	N/A	N/A	N/A
50751-284	0001	0006	19.7	8.8	18.2	N/A	N/A	N/A
50751-284	0001	0007	19.5	9.3	19.9	N/A	N/A	N/A
50751-284	0001	0008	19.8	9.2	19.2	N/A	N/A	N/A
50751-284	0001	0009	19.2	8.6	19.9	N/A	N/A	N/A
50751-284	0001	0010	19.4	9.1	18.9	N/A	N/A	N/A
50751-284	0001	0011	19.7	8.7	21.4	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	.0
F73891	.60	.30	.23	.05	.97	.06	.06	.02	.00	.00	.00	.02	.05
F73885	.60	.30	.23	.05	.97	.06	.05	.02	.00	.00	.00	.01	.02
F73887	.57	.30	.22	.05	.98	.07	.11	.02	.00	.00	.00	.01	.02

Applicable Requirements:

ASTM-B241-12 NON-STENCILED ASTM-B221-13 ASTM-B345-11 AMS-QQ-A-200/8 97 (R07) TYPE I
UNS#A96061 Also conforms to EN 10204 3.1

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

MERCURY IS NOT A NORMAL BACKGROUND ELEMENT IN ALUMINUM ALLOYS. NEITHER MERCURY NOR ANY OF ITS COMPOUNDS ARE UTILITZED BY KAISER ALUMINUM IN THE MANUFACTURE OF THIS MATERIAL.

Plant Serial: 00011377
Kaiser Order Number: 317897
Line Item: 001

KAISER
ALUMINUM
FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
2425 STEVENS DRIVE
RICHLAND, WA 99352

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

JOSEPH AMES, QUALITY MANAGER

Joseph Ames

Plant Serial: 00011377
Kaiser Order Number: 317897
Line Item: 001

KAISER ALUMINUM FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
6573 W. WILLIS ROAD
CHANDLER, AZ 85226

CUSTOMER PO NUMBER: M49330211-1		CUSTOMER PART NUMBER: 42588		PRODUCT DESCRIPTION: Seamless Tube/Pipe	
KAISER ORDER NUMBER: 218040	LINE ITEM: 001	SHIP DATE: 04/13/2015	KAISER LOT NUMBER: F00185885	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 366.000 LB	QUANTITY: 132.000 PCS	B/L NUMBER: 218440	DIAM/DAF/THKNS:	WIDTH:	LENGTH: 12.000 FT
SHIP TO: TW METALS INC 27 ENGLEHARD DRIVE EXIT 8A OFF NJ TPK MONROE TWP, NJ 08831 USA			SOLD TO: TW METALS INC 760 CONSTITUTION DRIVE SUITE 204 EXTON, PA 19341 USA		

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CON%IACS	BEND
F00185885	0001	1	45.9	44.0	16.0	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D39623	.57	.26	.22	.04	1.01	.06	.01	.02	.00	.00	.00	.01	.02

Applicable Requirements:


Description: OD: 0.6250"; Wall: 0.1250"; Round @
AMS-4082P AMS-WW-T-700/6B ASTM B210-12 WW-T-700/6F
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED.
This Product Complies to FAR BAA, DFARS BAA, FAR TAA
COMPLIES TO DIN EN 10204 JAN 2005
No Weld Repair. Mercury Free.

DAS
74
9-39

16/04/16

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA
MATERIAL COMPLIES WITH FAR BAA (FAR 52.225-1, BUY AMERICAN ACT- SUPPLIES), DFARS BAA (DFARS 252.225-7001 BUY AMERICAN ACT & BAL OF PAYMENTS PROG), AND FAR TAA (FAR 52.225-5 TRADE AGREEMENTS).



Plant Serial: 00019096
Kaiser Order Number: 218040
Line Item: 001

KAISER
ALUMINUM
FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
6573 W. WILLIS ROAD
CHANDLER, AZ 85226

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Linda Adkins, Quality Manager

Linda Adkins

Plant Serial: 00019096
Kaiser Order Number: 218040
Line Item: 001

KAISER ALUMINUM

FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
6573 W. WILLIS ROAD
CHANDLER, AZ 85226

CUSTOMER PO NUMBER: M49333248-1		CUSTOMER PART NUMBER: 43284		PRODUCT DESCRIPTION: Seamless Tube/Pipe	
KAISER ORDER NUMBER: 218377	LINE ITEM: 001	SHIP DATE: 07/01/2015	KAISER LOT NUMBER: F00192475	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 776.000 LB	QUANTITY: 288.000 PCS	B/L NUMBER: 219162	DIAM/DAF/THKNS:	WIDTH:	LENGTH: 12.000 FT
SHIP TO: TW METALS INC 27 ENGLEHARD DRIVE EXIT 8A OFF NJ TPK MONROE TWP, NJ 08831 USA			SOLD TO: TW METALS INC 760 CONSTITUTION DRIVE SUITE 204 EXTON, PA 19341 USA		

Actual Physical Properties


REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CON%IACS	BEND
F00192475	0001	1	46.4	44.2	14.5	N/A	N/A	N/A
F00192475	0002	1	46.6	45.4	15.0	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D39896	.59	.34	.21	.05	.93	.08	.05	.02	.00	.00	.00	.01	.02

Applicable Requirements:

Description: OD: 1.0000", Wall: 0.0650", Round @
AMS-4082P AMS-WW-T-700/6B ASTM B210-12 WW-T-700/6F
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED.
This Product Complies to FAR BAA, DFARS BAA, FAR TAA.
COMPLIES TO DIN EN 10204 JAN 2005
No Weld Repair. Mercury Free.



Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA
MATERIAL COMPLIES WITH FAR BAA (FAR 52.225-1, BUY AMERICAN ACT- SUPPLIES), DFARS BAA (DFARS 252.225-7001 BUY AMERICAN ACT & BAL OF PAYMENTS PROG), AND FAR TAA (FAR 52.225-5 TRADE AGREEMENTS).

Plant Serial: 00019758
Kaiser Order Number: 218377
Line Item: 001

KAISER
ALUMINUM
FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
6573 W. WILLIS ROAD
CHANDLER, AZ 85226

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager



MATERIAL RECEIPT INSPECTION FORM

MATERIAL M6061T6
DATE 11/04/16

PO / BATCH NO 31962/134548

MATERIAL CERT REQD yes
QUANTITY RECEIVED 84
QUANTITY INSPECTED 84
QUANTITY REJECTED _____

THICKNESS ORDERED T.3125X.058W
THICKNESS RECEIVED T.310 X.053W
SHEET SIZE ORDERED _____
SHEET SIZE RECEIVED _____

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
CORRECT FINISH	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
CORROSION	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
CORRECT CHAIN IDENTIFICATION	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
CORRECT MATERIAL	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
CORRECT THICKNESS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
PHOTO REQUIRED	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
CORRECT MATERIAL	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK
RECORD RESULTS BELOW

	HRC	HRB	DUR A	DUR D
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY _____	14	SIGNED OFF BY _____	
DATE <u>11/04/16</u>		DATE _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL MLD-IT-6
DATE 11/10/11

PO BATCH NO 31962/134548

MATERIAL CERT REC'D yes
QUANTITY RECEIVED 48
QUANTITY INSPECTED 48
QUANTITY REJECTED _____

THICKNESS ORDERED T.625 X .125W
THICKNESS RECEIVED T.625 X .120W
SHEET SIZE ORDERED _____
SHEET SIZE RECEIVED _____

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORRECT FINISH	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORROSION	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORRECT THICKNESS	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
PHOTO REQUIRED	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK
RECORD RESULTS BELOW

	HRC	HRB	DUR A	DUR D
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY <u>[Signature]</u>	SIGNED OFF BY _____		
DATE <u>11/10/11</u>	DATE _____		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL M6 D6 1 T 6
DATE 16/04/16

PO / BATCH NO 31962/134548

MATERIAL CERT RECD yes
QUANTITY RECEIVED 24
QUANTITY INSPECTED 24
QUANTITY REJECTED _____

THICKNESS ORDERED 1.00X.065W
THICKNESS RECEIVED 1.00X.060W
SHEET SIZE ORDERED _____
SHEET SIZE RECEIVED _____

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y	N	
CORROSION	Y	<input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y	N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	N	
CORRECT THICKNESS	<input checked="" type="radio"/> Y	N	
PHOTO REQUIRED	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y	N	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y	N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	<input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	<input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK
RECORD RESULTS BELOW

	HRC	HRB	DUR A	DUR D
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY <u>DAS</u>	SIGNED OFF BY _____		
DATE <u>16/04/16</u>	DATE _____		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL _____

DATE _____

PO / BATCH NO _____

MATERIAL CERT REC'D _____

QUANTITY RECEIVED _____

QUANTITY INSPECTED _____

QUANTITY REJECTED _____

THICKNESS ORDERED _____

THICKNESS RECEIVED _____

SHEET SIZE ORDERED _____

SHEET SIZE RECEIVED _____

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	N	
CORRECT FINISH	Y	N	
CORROSION	Y	N	
CORRECT GRAIN DIRECTION	Y	N	
CORRECT MATERIAL	Y	N	
CORRECT THICKNESS	Y	N	
PHOTO REQUIRED	Y	N	
CORRECT MATERIAL	Y	N	
CORRECT REF # TO LINK CERT	Y	N	
CORRECT MATERIAL IDENTIFICATION	Y	N	
CORRECT M# ON THE MATERIAL	Y	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK RECORD RESULTS BELOW				
	HRC	HRB	DUR A	DUR D
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY _____		SIGNED OFF BY _____	
DATE _____		DATE _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO31962

Purchase Order Date 4/7/2016

PO Print Date 4/7/2016

Page Number 1 of 2

Order From :

VU-TWM001

Ship To : DART AEROSPACE LTD

TW METALS
PO BOX 933014
ALTANTA, GA 31193-3014
US

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

E-MAILED
APR 07 2016

Contact Name

Vendor Phone 585 768 5600

Ship To Contact

Ship To Phone

Ship Via: YRC COLLECT

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

USD

FOB

FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M6061T6T0.3125W.058	ALUM TUBE .3125 x .058w	4/14/2016 Yes 4/14/2016		80.00 f 84 FT-	\$2.50	\$200.00
MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING AS PER WW-T-700/6 OR QQ-A-200/8 OR QQ-A-225/8 OR AMS 4080 OR AMS 4082 OR AMS 4083 OR ASTM B210 OR ASTM B241							
Line Total:							\$200.00
2	M6061T6T0.625W.125	6061-T6 RD Tube 0.625 X.125W	4/14/2016 Yes 4/14/2016		48.00 f ✓	\$5.15	\$247.20
MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING AS PER WW-T-700/6 OR QQ-A-200/8 OR QQ-A-225/8 OR AMS 4080 OR AMS 4082 OR AMS 4083 OR ASTM B210 OR ASTM B241							
Line Total:							\$247.20

Note:

4/7/2016



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO31962

Purchase Order Date 4/7/2016

PO Print Date 4/7/2016

Page Number 2 of 2

Order From :
TW METALS
PO BOX 933014
ALTANTA, GA 31193-3014
US

VU-TWM001

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 585 768 5600

Ship To Contact
Ship To Phone
Ship Via: YRC COLLECT
Ship Acct:

Buyer Chantal Lavoie
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency USD
FOB FCA - (Free Carrier)

3	M6061T6T1.000W065	6061T6 RD TUBE 1.00 x .065w	4/14/2016	24.00	\$2.96	\$71.04
			Yes	f		
			4/14/2016			

MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING
AS PER WW-T-700/6 OR QQ-A-200/8 OR QQ-A-225/8 OR
AMS 4080 OR AMS 4082 OR AMS 4083 OR ASTM B210 OR
ASTM B241

Line Total: \$71.04

4	71401-45	PROCUREMENT QUALITY CLAUSES	4/14/2016	1.00	\$0.00	\$0.00
			No			
			4/14/2016			

Procurement Quality Clauses
A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification
A026 certification of material conformance
A041 quality management system
A042 dart notification by supplier
A043 retention of quality documents

Line Total: \$0.00

PO Total: \$518.24

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 1

Change Date: 4/7/2016